

**TABLE 2**  
**ENVIRONMENTAL SITE INVESTIGATION**  
**FORMER NEW HAVEN WATER COMPANY PROPERTY**  
**HAMDEN, CONNECTICUT**

Summary of Volatile Organic Compounds Plus Tentatively Identified Compounds Water-Quality Results

	Date Collected	Ground-Water Elevation	(Cis) 1,2-Dichloroethylene (ug/l)	(Trans) 1,2-Dichloroethylene (ug/l)	Trichloroethylene (ug/l)	Vinyl chloride (ug/l)	Chloroethane (ug/l)	Benzene (ug/l)	Chlorobenzene (ug/l)	Isopropylbenzene (ug/l)	1,2,4-Trimethylbenzene (ug/l)	1,3,5-Trimethylbenzene (ug/l)	Bromodichloromethane (ug/l)	Acetone (ug/l)	Xylene (ug/l)	Toluene (ug/l)	Chloroform (ug/l)	MTBE (ug/l)	
LBG-MW-1	7/26/02	35.98	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	NT	
	8/21/02	35.63	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<10	ND<1	ND<1	ND<1	ND<1	
	4/17/03	37.48	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1	
	7/23/03	37.45	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1	
	10/31/03	36.90	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1	
	2/26/04	36.78	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1	ND<1
	5/04/04	37.70	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1	ND<1
9/30/04		ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	NI	ND<0.2	ND<0.2	2.9	ND<0.2	
LBG-MW-2	7/26/02	36.05	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	NT	
	8/21/02	35.70	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<10	ND<1	ND<1	ND<1	ND<1	
	4/18/03	37.44	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1	
	7/23/03	37.55	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1	
	10/28/03	37.01	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1	
	2/26/04	36.86	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1	ND<1
	5/03/04	37.71	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1	ND<1
9/30/04		ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	NI	ND<0.2	ND<0.2	ND<0.2	ND<0.2	
LBG-MW-3	7/26/02	36.40	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	NT	
	8/22/02	36.05	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<10	ND<1	ND<1	ND<1	ND<1	
	4/17/03	38.09	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1	
	7/24/03	37.97	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1	
	10/27/03	37.39	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1	
	2/26/04	37.22	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1	ND<1
	5/03/04	38.25	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1	ND<1
9/29/04		ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	NI	ND<0.2	ND<0.2	ND<0.2	ND<0.2	

TABLE 2  
(continued)

FORMER NEW HAVEN WATER COMPANY PROPERTY  
HAMDEN, CONNECTICUT

Summary of Volatile Organic Compounds Plus Tentatively Identified Compounds Water-Quality Results

	Date Collected	Ground-Water Elevation	(Cis) 1,2-Dichloroethylene (ug/l)	(Trans) 1,2-Dichloroethylene (ug/l)	Trichloroethylene (ug/l)	Vinyl chloride (ug/l)	Chloroethane (ug/l)	Benzene (ug/l)	Chlorobenzene (ug/l)	Isopropylbenzene (ug/l)	1,2,4-Trimethylbenzene (ug/l)	1,3,5-Trimethylbenzene (ug/l)	Bromodichloromethane (ug/l)	Acetone (ug/l)	Xylene (ug/l)	Toluene (ug/l)	Chloroform (ug/l)	MTBE (ug/l)	
LBG-MW-4A	8/21/02	35.03	ND<1	ND<1	ND<1	6	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<10	ND<1	ND<1	ND<1	ND<1	
	4/17/03	36.61	ND<1	ND<1	ND<1	6	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1	
	7/22/03	36.98	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1	
	10/27/03	36.18	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1	
	2/25/04	36.25	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1	
	5/04/04	37.10	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	9/29/04		ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	NI	ND<0.2	ND<0.2	ND<0.2	ND<0.2
LBG-MW-4B	8/21/02	35.02	61	ND<1	ND<1	560	12	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<10	1	ND<1	ND<1	ND<1	
	4/17/03	36.78	ND<1	ND<1	ND<1	74	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1	
	7/22/03	36.98	ND<1	ND<1	ND<1	12	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1	
	10/27/03	36.19	ND<1	ND<1	ND<1	10	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1	
	2/25/04	36.21	1	ND<1	ND<1	4	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1	
	5/04/04	37.11	ND<1	ND<1	ND<1	3	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1	
	9/28/04		ND<0.2	ND<0.2	ND<0.2	18	ND<0.2	ND<0.1	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	NI	ND<0.2	ND<0.2	ND<0.2	ND<0.2
LBG-MW-4	7/26/02		11	ND<1	ND<1	440	14	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	1	ND<1	ND<1	NT	
LBG-MW-4C	8/21/02	35.07	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<10	ND<1	ND<1	ND<1	ND<1	
	4/17/03	36.80	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1	
	7/22/03	36.99	ND<1	ND<1	ND<1	5	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1	
	10/27/03	36.22	ND<1	ND<1	ND<1	1	ND<1	2	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1	
	2/25/04	36.24	ND<1	ND<1	ND<1	3	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1	
	5/04/04	37.12	ND<1	ND<1	ND<1	5	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1	
	9/28/04		0.8	ND<0.2	ND<0.2	3.5	ND<0.2	ND<0.1	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	NI	ND<0.2	ND<0.2	ND<0.2	ND<0.2

TABLE 2  
(continued)

FORMER NEW HAVEN WATER COMPANY PROPERTY  
HAMDEN, CONNECTICUT

Summary of Volatile Organic Compounds Plus Tentatively Identified Compounds Water-Quality Results

	Date Collected	Ground-Water Elevation	(Cis) 1,2-Dichloroethylene (ug/l)	(Trans) 1,2-Dichloroethylene (ug/l)	Trichloroethylene (ug/l)	Vinyl chloride (ug/l)	Chloroethane (ug/l)	Benzene (ug/l)	Chlorobenzene (ug/l)	Isopropylbenzene (ug/l)	1,2,4-Trimethylbenzene (ug/l)	1,3,5-Trimethylbenzene (ug/l)	Bromodichloromethane (ug/l)	Acetone (ug/l)	Xylene (ug/l)	Toluene (ug/l)	Chloroform (ug/l)	MTBE (ug/l)
LBG-MW-5	7/26/02	35.70	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	NT
	8/21/02	35.39	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<10	ND<1	ND<1	ND<1	ND<1
	4/17/03	37.20	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	7/23/03	37.35	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	1	ND<1	ND<1
	11/4/03	36.58	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	2/27/04	36.46	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	5/04/04	37.45	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	9/27/04		ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	NI	ND<0.2	ND<0.2	ND<0.2
LBG-MW-6	7/26/02	36.20	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	NT
	8/22/02	35.85	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<10	ND<1	ND<1	2	ND<1
	4/17/03	37.83	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	20	ND<1
	7/23/03	37.89	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	12	ND<1
	10/29/03	37.17	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	13	ND<1
	2/26/04	36.93	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	2	ND<1
	5/04/04	37.95	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	9/30/04		ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	NI	ND<0.2	ND<0.2	5.7
LBG-MW-7A	8/21/02	39.53	340	1	27	220	ND<1	3	ND<1	ND<1	3	1	ND<1	16	ND<1	ND<1	ND<1	ND<1
	4/16/03	38.61	120	1	ND<1	230	ND<1	1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	7/21/03	39.93	56	ND<1	ND<1	75	ND<1	2	ND<1	ND<1	2	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	10/28/03	39.81	1	ND<1	ND<1	14	ND<1	2	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	10/28/03 Duplicate	39.81	4	ND<1	ND<1	28	ND<1	2	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	2/24/04	39.44	23	ND<1	ND<1	81	ND<1	1	ND<1	ND<1	1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	5/05/04	39.84	37	ND<1	ND<1	67	ND<1	2	ND<1	ND<1	2	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	9/29/04		1.8	ND<0.2	ND<0.2	7.9	ND<0.2	1.4	ND<0.2	ND<0.2	1.5	0.7	ND<0.1	NI	ND<0.2	ND<0.2	ND<0.2	ND<0.2

TABLE 2  
(continued)

FORMER NEW HAVEN WATER COMPANY PROPERTY  
HAMDEN, CONNECTICUT

Summary of Volatile Organic Compounds Plus Tentatively Identified Compounds Water-Quality Results

	Date Collected	Ground-Water Elevation	(Cis) 1,2-Dichloroethylene (ug/l)	(Trans) 1,2-Dichloroethylene (ug/l)	Trichloroethylene (ug/l)	Vinyl chloride (ug/l)	Chloroethane (ug/l)	Benzene (ug/l)	Chlorobenzene (ug/l)	Isopropylbenzene (ug/l)	1,2,4-Trimethylbenzene (ug/l)	1,3,5-Trimethylbenzene (ug/l)	Bromodichloromethane (ug/l)	Acetone (ug/l)	Xylene (ug/l)	Toluene (ug/l)	Chloroform (ug/l)	MTBE (ug/l)
LBG-MW-7B	8/21/02	35.41	460	ND<1	45	150	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<10	ND<1	ND<1	2	NI
	4/17/03	37.35	13	ND<1	ND<1	23	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	4/17/03 Duplicate	37.35	13	ND<1	ND<1	24	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	7/22/03	37.41	18	ND<1	ND<1	35	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	10/28/03	36.77	150	ND<1	2	93	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	1
	2/24/04	38.56	8	ND<1	ND<1	34	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	5/05/04	37.58	5	ND<1	ND<1	8	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
9/29/04		37	ND<0.2	0.8	12	ND<0.2	ND<0.1	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	NI	ND<0.2	ND<0.2	ND<0.2	ND<0.2
LBG-MW-8	8/22/02	37.76	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<10	ND<1	ND<1	ND<1	ND<1
	4/17/03	38.75	NT	NT	NT	NT	NT	NT	NT	ND<1	NT	NT	ND<1	NI	NT	NT	NT	NT
	7/24/03	38.57	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	10/29/03	38.49	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	9/29/04		ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	NI	ND<0.2	ND<0.2	ND<0.2	ND<0.2
	2/27/04	38.03	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
5/03/04	38.74	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1	
LBG-MW-9	8/22/02	36.37	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<10	ND<1	ND<1	2	ND<1
	4/18/03	38.47	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	7/24/03	38.39	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	10
	10/29/03	37.73	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	2
	2/27/04	37.44	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	5/03/04	38.46	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
9/30/04		ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	NI	ND<0.2	ND<0.2	ND<0.2	ND<0.2	

TABLE 2  
(continued)

FORMER NEW HAVEN WATER COMPANY PROPERTY  
HAMDEN, CONNECTICUT

Summary of Volatile Organic Compounds Plus Tentatively Identified Compounds Water-Quality Results

	Date Collected	Ground-Water Elevation	(Cis) 1,2-Dichloroethylene (ug/l)	(Trans) 1,2-Dichloroethylene (ug/l)	Trichloroethylene (ug/l)	Vinyl chloride (ug/l)	Chloroethane (ug/l)	Benzene (ug/l)	Chlorobenzene (ug/l)	Isopropylbenzene (ug/l)	1,2,4-Trimethylbenzene (ug/l)	1,3,5-Trimethylbenzene (ug/l)	Bromodichloromethane (ug/l)	Acetone (ug/l)	Xylene (ug/l)	Toluene (ug/l)	Chloroform (ug/l)	MTBE (ug/l)
LBG-MW-10A	8/21/02	38.53	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<10	ND<1	ND<1	ND<1	ND<1
	4/17/03	39.24	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	7/22/03	39.32	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	10/31/03	39.24	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	2/24/04	39.11	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	5/05/04	39.18	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	2	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	9/29/04		ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	ND<0.2	ND<0.2	2	0.9	ND<0.1	NI	ND<0.2	ND<0.2	ND<0.2	ND<0.2
LBG-MW-10B	8/21/02	35.16	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<10	ND<1	ND<1	1	ND<1
	4/17/03	37.41	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	7/22/03	37.49	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	10/31/03	36.82	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	2/24/04	36.78	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	5/05/04	37.66	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	9/29/04		ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	NI	ND<0.2	ND<0.2	ND<0.2
LBG-MW-11A	8/21/02	38.12	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<10	ND<1	ND<1	ND<1	ND<1
	4/18/03	39.52	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	7/23/03	39.20	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	10/27/03	39.05	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	2/26/04	39.04	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	5/03/04	39.59	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	9/27/04		ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	NI	ND<0.2	ND<0.2	ND<0.2
LBG-MW-11B	9/27/04		ND<0.2	ND<0.2	ND<0.2	0.5	ND<0.2	ND<0.1	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	NI	ND<0.2	ND<0.2	ND<0.2	ND<0.2

TABLE 2  
(continued)

FORMER NEW HAVEN WATER COMPANY PROPERTY  
HAMDEN, CONNECTICUT

Summary of Volatile Organic Compounds Plus Tentatively Identified Compounds Water-Quality Results

	Date Collected	Ground-Water Elevation	(Cis) 1,2-Dichloroethylene (ug/l)	(Trans) 1,2-Dichloroethylene (ug/l)	Trichloroethylene (ug/l)	Vinyl chloride (ug/l)	Chloroethane (ug/l)	Benzene (ug/l)	Chlorobenzene (ug/l)	Isopropylbenzene (ug/l)	1,2,4-Trimethylbenzene (ug/l)	1,3,5-Trimethylbenzene (ug/l)	Bromodichloromethane (ug/l)	Acetone (ug/l)	Xylene (ug/l)	Toluene (ug/l)	Chloroform (ug/l)	MTBE (ug/l)
LBG-MW-12	8/22/02	36.61	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<10	ND<1	ND<1	ND<1	ND<1
	4/18/03	38.58	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	7/24/03	38.46	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	10/29/03	38.08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	2	ND<1	ND<1	ND<1
	10/29/03 Duplicate	38.08	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	2/27/04	37.82	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	2/27/04 Duplicate	37.82	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	5/03/04	38.63	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	9/28/04		ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	NI	ND<0.2	ND<0.2	ND<0.2
LBG-MW-13	8/21/02	35.58	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<10	ND<1	ND<1	ND<1	ND<1
	4/17/03	37.29	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	7/23/03	37.39	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	10/28/03	36.80	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	2/26/04	36.72	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	5/04/04	37.57	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	9/30/04		ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	NI	ND<0.2	ND<0.2	ND<0.2
LBG-MW-14A	8/22/02	39.58	ND<1	ND<1	ND<1	ND<1	ND<1	1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<10	1	7	1	ND<1
	4/16/03	39.92	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	6	ND<1	ND<1
	7/22/03	40.34	ND<1	ND<1	ND<1	ND<1	ND<1	1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	5	ND<1	ND<1
	10/30/03	36.52	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	4	ND<1	ND<1
	2/25/04	39.90	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	1	ND<1	ND<1	ND<1
	5/05/04	40.11	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	9/29/04		ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	0.9	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	NI	1	ND<0.2	0.6

TABLE 2  
(continued)

FORMER NEW HAVEN WATER COMPANY PROPERTY  
HAMDEN, CONNECTICUT

Summary of Volatile Organic Compounds Plus Tentatively Identified Compounds Water-Quality Results

	Date Collected	Ground-Water Elevation	(Cis) 1,2-Dichloroethylene (ug/l)	(Trans) 1,2-Dichloroethylene (ug/l)	Trichloroethylene (ug/l)	Vinyl chloride (ug/l)	Chloroethane (ug/l)	Benzene (ug/l)	Chlorobenzene (ug/l)	Isopropylbenzene (ug/l)	1,2,4-Trimethylbenzene (ug/l)	1,3,5-Trimethylbenzene (ug/l)	Bromodichloromethane (ug/l)	Acetone (ug/l)	Xylene (ug/l)	Toluene (ug/l)	Chloroform (ug/l)	MTBE (ug/l)	
LBG-MW-14B	8/22/02	35.05	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<10	ND<1	ND<1	3	ND<1	
	4/16/03	37.06	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1	
	7/22/03	37.19	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1	
	10/30/03	40.35	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1	
	2/25/04	36.65	1	ND<1	ND<1	4	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1	
	2/25/04 Duplicate	36.65	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1	ND<1
	5/05/04	36.50	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1	
9/29/04		ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	NI	ND<0.2	ND<0.2	ND<0.2	ND<0.2	
LBG-MW-15A	8/22/02	35.10	ND<1	ND<1	ND<1	ND<1	ND<1	4	ND<1	ND<1	ND<1	ND<1	ND<1	ND<10	ND<1	ND<1	ND<1	ND<1	
	4/16/03	37.31	ND<1	ND<1	ND<1	ND<1	ND<1	3	ND<1	ND<1	ND<1	ND<1	ND<1	NI	2	ND<1	ND<1	ND<1	
	7/21/03	37.65	ND<1	ND<1	ND<1	ND<1	ND<1	3	2	ND<1	ND<1	ND<1	ND<1	NI	3	ND<1	ND<1	ND<1	
	10/30/03	36.87	ND<1	ND<1	ND<1	ND<1	ND<1	2	1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1	
	2/24/04	36.78	ND<1	ND<1	ND<1	ND<1	ND<1	2	ND<1	ND<1	ND<1	ND<1	ND<1	NI	3	ND<1	ND<1	ND<1	
	5/05/04	37.77	ND<1	ND<1	ND<1	ND<1	ND<1	3	2	ND<1	ND<1	ND<1	ND<1	NI	3	ND<1	ND<1	ND<1	
	9/29/04		ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	2.5	1.9	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	NI	2.9	ND<0.2	ND<0.2	ND<0.2
LBG-MW-15B	8/22/02	34.96	ND<1	ND<1	ND<1	3	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<10	ND<1	ND<1	ND<1	ND<1	
	4/16/03	37.19	ND<1	ND<1	ND<1	5	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1	
	7/23/03	37.33	ND<1	ND<1	ND<1	6	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	1	ND<1	ND<1	
	10/30/03	36.59	ND<1	ND<1	ND<1	22	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1	
	2/24/04	36.58	ND<1	ND<1	ND<1	6	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1	
	5/05/04	37.48	ND<1	ND<1	ND<1	4	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1	
	5/05/04 Duplicate	37.48	ND<1	ND<1	ND<1	4	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1	
	9/29/04		ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	NI	ND<0.2	ND<0.2	ND<0.2	ND<0.2

TABLE 2  
(continued)

FORMER NEW HAVEN WATER COMPANY PROPERTY  
HAMDEN, CONNECTICUT

Summary of Volatile Organic Compounds Plus Tentatively Identified Compounds Water-Quality Results

	Date Collected	Ground-Water Elevation	(Cis) 1,2-Dichloroethylene (ug/l)	(Trans) 1,2-Dichloroethylene (ug/l)	Trichloroethylene (ug/l)	Vinyl chloride (ug/l)	Chloroethane (ug/l)	Benzene (ug/l)	Chlorobenzene (ug/l)	Isopropylbenzene (ug/l)	1,2,4-Trimethylbenzene (ug/l)	1,3,5-Trimethylbenzene (ug/l)	Bromodichloromethane (ug/l)	Acetone (ug/l)	Xylene (ug/l)	Toluene (ug/l)	Chloroform (ug/l)	MTBE (ug/l)
LBG-MW-16	8/21/02	35.18	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<10	ND<1	ND<1	ND<1	3
	4/17/03	36.90	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	7/23/03	37.09	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	11/4/03	36.29	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	2/26/04	36.51	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	5/04/04	37.21	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	9/30/04		ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	NI	ND<0.2	ND<0.2	ND<0.2
LBG-MW-17	8/21/02	35.23	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<10	ND<1	ND<1	ND<1	ND<1
	4/17/03	36.98	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	7/23/03	37.14	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	10/31/03	36.44	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	2/25/04	36.41	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	5/04/04	37.27	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	NI	ND<1	ND<1	ND<1	ND<1
	9/30/04		ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	NI	ND<0.2	ND<0.2	ND<0.2
LBG-MW-18A	9/27/04		ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	NI	ND<0.2	ND<0.2	ND<0.2	ND<0.2
LBG-MW-18B	9/27/04		ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	NI	ND<0.2	ND<0.2	0.8	ND<0.2
LBG-MW-19	9/28/04		ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	NI	ND<0.2	ND<0.2	ND<0.2	ND<0.2
LBG-MW-20A	9/28/04		ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	NI	ND<0.2	ND<0.2	ND<0.2	ND<0.2
LBG-MW-20B	9/28/04		ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	NI	ND<0.2	ND<0.2	ND<0.2	ND<0.2
LBG-MW-21A	9/28/04		ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	NI	ND<0.2	ND<0.2	ND<0.2	ND<0.2
LBG-MW-21B	9/28/04		ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	NI	ND<0.2	ND<0.2	ND<0.2	ND<0.2
LBG-MW-22A	9/27/04		ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	1.4	ND<0.2	0.8	5.7	4.7	ND<0.1	NI	18.3	1.9	ND<0.2	ND<0.2
LBG-MW-22B	9/27/04		ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	0.6	ND<0.2	ND<0.2	ND<0.2	ND<0.2	0.5	NI	0.6	ND<0.2	ND<0.2	ND<0.2
LBG-MW-23A	9/27/04		ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	NI	ND<0.2	ND<0.2	ND<0.2	ND<0.2

TABLE 2  
(continued)

FORMER NEW HAVEN WATER COMPANY PROPERTY  
HAMDEN, CONNECTICUT

Summary of Volatile Organic Compounds Plus Tentatively Identified Compounds Water-Quality Results

	Date Collected	Ground-Water Elevation	(Cis) 1,2-Dichloroethylene (ug/l)	(Trans) 1,2-Dichloroethylene (ug/l)	Trichloroethylene (ug/l)	Vinyl chloride (ug/l)	Chloroethane (ug/l)	Benzene (ug/l)	Chlorobenzene (ug/l)	Isopropylbenzene (ug/l)	1,2,4-Trimethylbenzene (ug/l)	1,3,5-Trimethylbenzene (ug/l)	Bromodichloromethane (ug/l)	Acetone (ug/l)	Xylene (ug/l)	Toluene (ug/l)	Chloroform (ug/l)	MTBE (ug/l)
LBG-MW-23B	9/27/04		ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	NI	ND<0.2	ND<0.2	ND<0.2	2.7
LBG-MW-24A	10/1/04		ND<0.2	ND<0.2	ND<0.2	<b>93</b>	ND<0.2	ND<0.1	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	NI	ND<0.2	ND<0.2	ND<0.2	ND<0.2
LBG-MW-24B	10/1/04		ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	NI	ND<0.2	ND<0.2	0.9	ND<0.2
H2001S	9/30/04		ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	ND<0.2	ND<0.2	ND<0.2	ND<0.2	ND<0.1	NI	ND<0.2	ND<0.2	ND<0.2	ND<0.2
HA-B107-OW	8/22/02	35.88	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	52	ND<1	ND<1	ND<1	ND<1
HA-B111-OW	8/22/02	36.26	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<1	ND<10	ND<1	ND<1	<b>35</b>	ND<1
CTDEP RSRs Surface Water Protection Criteria			NE	NE	2,340	15,750	NE	710	420,000	NE	NE	NE	NE	NE	NE	4,000,000	14,100	NE
CTDEP RSRs Groundwater Protection Criteria			70	100	5	2	NE	1	100	0.56	350	350	30	700	530	1,000	6	100
CTDEP RSRs Residential Volatilization Criteria			NE	NE	219	2	NE	215	1,800	NE	NE	NE	NE	50,000	21,300	23,500	287	50,000
Proposed CTDEP Residential Volatilization Criteria			830	1,000	27	1.6	12,000	130	1,800	NE	360	280	NE	50,000	8,700	7,100	26	21,000

Note: Exceedances of the ground-water protection criteria are highlighted in bold. Numerical exceedances of the surface water protection criteria are not highlighted because no exceedances of the criteria are shown at the furthest downgradient monitor well.

ND<0.1 Not detected above identified detection limit  
 NE Criterion not established  
 NI Not Identified  
 CTDEP Connecticut Department of Environmental Protection  
 RSRs Remediation Standard Regulations  
 H:\SCCRW\2004\Hamden\Middle School\VOC Table.doc