

TABLE 1
(continued)

FORMER NEW HAVEN WATER COMPANY PROPERTY
HAMDEN, CONNECTICUT

Summary of Polychlorinated Biphenyl Soil-Quality Results

ID	Sample Interval (ft bg)		Date Collected	Mass Polychlorinated Biphenyls							Total PCBs (mg/kg)	
				PCB 1016 (mg/kg)	PCB 1221 (mg/kg)	PCB 1232 (mg/kg)	PCB 1242 (mg/kg)	PCB 1248 (mg/kg)	PCB 1254 (mg/kg)	PCB 1260 (mg/kg)		
LBG-TB-51	6	7	8/30/04	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02
LBG-TB-51	8	9	8/30/04	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02
LBG-TB-51	10	11	8/30/04	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02
LBG-TB-51	12	13	8/30/04	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02
LBG-TB-51	14	15	8/30/04	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02
LBG-TB-51	16	17	8/30/04	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02
LBG-TB-51	18	19	8/30/04	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02
LBG-TB-57	16.5	17.5	8/27/04	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02
LBG-TB-66	0	0.5	8/16/04	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	0.03	0.04	0.07	0.07
LBG-TB-66	16	18	8/16/04	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	0.2	0.2	0.2
LBG-TB-67	0	0.5	8/16/04	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	0.02	0.02	0.02
LBG-TB-68	0	0.5	8/16/04	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	0.02	0.02	0.04	0.04
LBG-TB-69	0	0.5	8/16/04	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	0.03	0.02	0.02
LBG-TB-70	0	0.5	8/16/04	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	0.02	0.02	0.02
LBG-TB-71	0	0.5	8/16/04	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02
LBG-TB-72	0	0.5	8/16/04	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02
LBG-TB-73	0.5	1.5	8/17/04	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02
LBG-TB-73	2	2.9	8/17/04	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02
LBG-TB-73	4	5	8/17/04	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02
LBG-TB-73	6	7.8	8/17/04	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02
LBG-TB-73	8	9	8/17/04	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02
LBG-TB-73	10	11.6	8/17/04	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02
LBG-TB-73	12	13	8/17/04	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02
LBG-TB-73	14	14.8	8/17/04	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02
LBG-TB-74	0.5	1.5	8/17/04	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02
LBG-TB-74	2	4	8/17/04	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02
LBG-TB-74	4	5	8/17/04	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02
LBG-TB-74	6	7	8/17/04	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02
LBG-TB-74	8	9	8/17/04	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02
LBG-TB-74	10	10.5	8/17/04	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	0.56	0.56	0.56

TABLE 1
(continued)

**FORMER NEW HAVEN WATER COMPANY PROPERTY
HAMDEN, CONNECTICUT**

Summary of Polychlorinated Biphenyl Soil-Quality Results

ID	Sample Interval		Date Collected	Mass Polychlorinated Biphenyls							Total PCBs (mg/kg)	
	(ft)	(bg)		PCB 1016 (mg/kg)	PCB 1221 (mg/kg)	PCB 1232 (mg/kg)	PCB 1242 (mg/kg)	PCB 1248 (mg/kg)	PCB 1254 (mg/kg)	PCB 1260 (mg/kg)		
LBG-TB-87	8	9	8/19/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-87	10	11	8/19/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-87	12	13	8/19/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-87	14	15	8/19/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-87	16	17	8/19/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-87	18	19	8/19/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-88	0.5	1.5	8/19/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-88	2	3	8/19/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-88	4	5	8/19/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-88	6	7	8/19/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-88	8	9	8/19/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-88	10	11	8/19/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-88	12	13	8/19/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-88	14	15	8/19/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-89	0.5	1.5	8/19/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-89	2	3	8/19/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-89	4	5	8/19/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-89	6	7	8/19/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-89	8	9	8/19/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-89	10	11	8/19/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-89	12	13	8/19/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-89	14	16	8/19/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-89	16	17	8/19/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-89 Duplicate	16	17	8/19/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-89	18	19	8/19/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-90	2	4	8/19/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-90	2	4	8/31/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-90	6	8	8/19/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-90	6	8	8/31/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	0.15	0.15

TABLE 1
(continued)

FORMER NEW HAVEN WATER COMPANY PROPERTY
HAMDEN, CONNECTICUT

Summary of Polychlorinated Biphenyl Soil-Quality Results

ID	Sample Interval (ft bg)		Date Collected	Mass Polychlorinated Biphenyls							Total PCBs (mg/kg)
				PCB 1016 (mg/kg)	PCB 1221 (mg/kg)	PCB 1232 (mg/kg)	PCB 1242 (mg/kg)	PCB 1248 (mg/kg)	PCB 1254 (mg/kg)	PCB 1260 (mg/kg)	
LBG-TB-194	12	13	11/23/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-194	14	15	11/23/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-194	16	17	11/23/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-194	18	19	11/23/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-195	0.5	1.5	11/23/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-195	2	3	11/23/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-195	4	5	11/23/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-195	6	7	11/23/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-195	8	9	11/23/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	0.72	0.2	0.92
LBG-TB-195	10	11	11/23/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-195	12	13	11/23/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-195	14	15	11/23/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-195	16	17	11/23/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-195	18	19	11/23/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-196	0.5	1.5	11/24/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-196	2	3	11/24/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-196	4	5	11/24/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	0.23	ND<0.06	0.23
LBG-TB-196	6	7	11/24/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-196	8	9	11/24/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	61.8	ND<0.06	61.8
LBG-TB-196	10	11	11/24/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	2.9	ND<0.06	2.9
LBG-TB-196	12	13	11/24/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	0.45	ND<0.06	0.45
LBG-TB-196	14	15	11/24/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	1.06	ND<0.06	1.06
LBG-TB-196	16	17	11/24/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	0.1	ND<0.06	0.1
LBG-TB-196	18	19	11/24/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-197	0.5	1.5	11/24/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-197	2	3	11/24/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-197	4	5	11/24/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-197	6	7	11/24/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-197	8	9	11/24/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	2.45	0.47	2.92
LBG-TB-197	10	11	11/24/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	3.90	0.70	4.60

TABLE 1
(continued)

FORMER NEW HAVEN WATER COMPANY PROPERTY
HAMDEN, CONNECTICUT

Summary of Polychlorinated Biphenyl Soil-Quality Results

ID	Sample Interval (ft bg)		Date Collected	Mass Polychlorinated Biphenyls							Total PCBs (mg/kg)
				PCB 1016 (mg/kg)	PCB 1221 (mg/kg)	PCB 1232 (mg/kg)	PCB 1242 (mg/kg)	PCB 1248 (mg/kg)	PCB 1254 (mg/kg)	PCB 1260 (mg/kg)	
LBG-TB-197	12	13	11/24/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	0.78	0.22	1.00
LBG-TB-197	14	15	11/24/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	0.15	ND<0.06	0.15
LBG-TB-197	16	17	11/24/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-197	18	19	11/24/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-198	0.5	1.5	11/24/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-198	2	3	11/24/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-198	4	5	11/24/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	1.46	0.19	1.65
LBG-TB-198	6	7	11/24/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	7.01	0.87	7.88
LBG-TB-198	8	9	11/24/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	0.51	ND<0.06	0.51
LBG-TB-198	10	11	11/24/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	0.08	ND<0.06	0.08
LBG-TB-198	12	13	11/24/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	0.24	ND<0.06	0.24
LBG-TB-198	14	15	11/24/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	0.08	ND<0.06	0.08
LBG-TB-198	16	17	11/24/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	0.08	ND<0.06	0.08
LBG-TB-198	18	19	11/24/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	0.08	ND<0.06	0.08
LBG-TB-199	2	4	11/24/04	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02
LBG-TB-199	6	8	11/24/04	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02
LBG-TB-200	2	4	11/24/04	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	0.04	0.04
LBG-TB-200	6	8	11/24/04	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	0.03	ND<0.02	0.03
LBG-TB-201	2	4	11/24/04	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02
LBG-TB-201	6	8	11/24/04	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02
LBG-TB-202	2	4	11/24/04	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02
LBG-TB-202	6	8	11/24/04	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02
LBG-TB-208	0	2	12/29/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-208	2	2.5	12/29/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-208	4	5	12/29/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-208	6	8	12/29/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	0.06	0.1	0.16
LBG-TB-208	8	10	12/29/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	0.17	0.11	0.28
LBG-TB-208	10	12	12/29/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-208	12	14	12/29/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	0.1	0.09	0.19
LBG-TB-208	14	16	12/29/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	0.11	0.08	0.19

TABLE 1
(continued)

FORMER NEW HAVEN WATER COMPANY PROPERTY
HAMDEN, CONNECTICUT

Summary of Polychlorinated Biphenyl Soil-Quality Results

Mass Polychlorinated Biphenyls											
ID	Sample Interval (ft bg)		Date Collected	PCB 1016 (mg/kg)	PCB 1221 (mg/kg)	PCB 1232 (mg/kg)	PCB 1242 (mg/kg)	PCB 1248 (mg/kg)	PCB 1254 (mg/kg)	PCB 1260 (mg/kg)	Total PCBs (mg/kg)
LBG-TB-209	0	2	12/29/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-209	2	2.4	12/29/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-209	7	9	12/29/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-209	9	11	12/29/04	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06	ND<0.06
LBG-TB-209	11	13	12/29/04	ND<0.3	ND<0.3	ND<0.3	ND<0.3	ND<0.3	ND<0.3	5.23	5.23
LBG-TB-211	0	0.5	1/6/05	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02
LBG-TB-212	0	0.5	1/6/05	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02
LBG-TB-213	0	0.5	1/6/05	ND<0.02	ND<0.02	ND<0.02	ND<0.02	ND<0.02	0.03	ND<0.02	0.03
CTDEP Residential Direct Exposure Criteria											1
CTDEP Industrial/Commercial Direct Exposure Criteria											10

CTDEP Connecticut Department of Environmental Protection
ft bg feet below grade
ID Identification

H:\TEXTTEMP\SCCRWA\Hamden MS\2004\Laboratory\2004 Soil Results\PCBs\PCB Table for Middle School Site - No fill ID.doc